

EcoStar® and EcoStar SVRS

VARIABLE SPEED PUMPS

The most energy efficient pumps at *any* speed.





EcoStar[®] and EcoStar SVF are the ideal choice for energy savings

EcoStar's efficiency saves up to \$1,500* in energy costs year after year.

With EcoStar's family of pumps, money flows back into pool owners' pockets. EcoStar is the industry's most energy efficient variable speed pump, thanks to a super-efficient permanent magnet, totally enclosed fan cooled (TEFC) motor and industry leading hydraulic design. Tests prove that EcoStar can save pool owners up to 90% on energy costs compared to ordinary single speed pumps. EcoStar can match pump flow to a pool's needs, versus running at full power 100% of the time.

EcoStar SVRS Safety and peace-ofmind in a pump.

The EcoStar SVRS model features an integrated Safety Vacuum Release System (SVRS) that helps prevent suction entrapment without additional devices, plumbing or wiring. It meets or exceeds all relevant ASME/ANSI standards as required by the Virginia Graeme Baker Pool and Spa Safety Act and similar state and local requirements.

EcoStar and EcoStar SVRS install easily and work with a wide variety of equipment.

Customers can save significant time and money by installing EcoStar, without having to buy additional equipment or accessories. Its fully programmable, self-contained 24-hour time clock with up to 8 custom speed and timer functions allows EcoStar to manage flow throughout the day. EcoStar can alternatively be controlled by Hayward controls such as Pro Logic[®], OnCommand[®], and E-Command[®] 4 or other third party pool and spa controls. Whether used in new construction or aftermarket applications, EcoStar is the perfect choice.

Quiet by design.

Sunday afternoons and soft summer nights are never interrupted. EcoStar's variable speed control assures that the water flows at the rate needed, and because EcoStar's advanced hydraulic design moves water more efficiently, the motor can run at even lower speeds for incredibly quiet operation.

Δ



0

1





*Savings compared to a single speed pump running 12 hours per day, on a 20,000 gallon pool, at an average electrical rate of \$0.15/kWh. Actual savings may vary based on comparison pump model, hours of operation, electrical rate and other hydraulic aspects such as plumbing size and length.

HAYWARD

S

5

1 Innovative multi-position digital control interface

2

3

4

5

Permanent magnet, totally enclosed fan cooled (TEFC) motor


Industry-leading hydraulic design

2" x 21/2" union connections

No-rib basket ensures easy debris removal

EcoStar saves energy and money





User and environmentally friendly.

voltage fluctuations to ensure seamless operation.

A pump that creates a cleaner pool?

EcoStar is extremely easy to use, even for a new pool owner. It has a next-generation, integrated digital control interface that's intuitive to operate and always faces a convenient direction as it can rotate to four different positions on the pump or can be removed and wall-mounted. That's especially important if the pump sits in a tight space. EcoStar also provides on-board diagnostics and automatic protection for priming failures, temperature extremes and

When operating at lower speeds, EcoStar moves water more efficiently through the filter, which means more particulate is removed from pool and spa water, for clearer water. For added convenience, a no-rib basket design ensures easy debris removal.

* Assumed speeds measured in revolutions per minute. EcoStar can be "dialed in" to the specific speed needed for the given application.

Revolutionary digital control interface rotates to 4 different positions

or mounts to the wall.

HAYMARD

EcoStar's digital control interface can be rotated for a more convenient view on the pump itself.

Digital control interface design with easy-to-read display shows information such as pump speed and power consumption.

The digital control interface can also be removed from the pump and mounted to the wall.

HAIS MARIS




Application and Installation

- In-ground pools of all types and sizes, pool/spa combinations
- Ideal for water features such as waterfalls and fountains
- Fully programmable with a self-contained 24-hour time clock with up to 8 custom speed and timer functions
- For enhanced pool management, can be controlled by Hayward[®] or other third party pool and spa control platforms, without the need for additional accessories

Additional EcoStar[™] Features and Benefits

- Automatic protection from priming failures, temperature extremes, voltage spikes and brownouts
- Includes digital control interface wall-mount kit
- 2" x 21/2" CPVC union connections provide easy installation and service
- No-rib basket design ensures easy debris removal
- Extra leaf-holding capacity basket extends time between cleanings
- Pressure testable to 50 PSI maximum
- Auto-priming capability, with suction lift up to 10' above water level

Model Number	Description	Speed Range	Voltage	Union Connections
SP3400VSP	EcoStar	600-3450 RPM	230V Single Phase	2" x 2½"
SP3400VSPVR	EcoStar SVRS	1000-3450 RPM	230V Single Phase	2" x 2½"



EcoStar runs efficiently in all of these ranges.

To take a closer look at Hayward EcoStar, go to www.haywardpool.com or call 1-888-HAYWARD.







