



# CERTIFIED RADON REPORT

January 31, 2011

Test Number: 7010-205

**Property Inspected:** 12345 Anystreet, Anytown, OH 44065

**Licensed Radalink Radon Inspector:**

**Four Square Home Inspections**

**Fred Freer**

**6736 Eastgate Drive**

**Mayfield Village, OH 44143-2302**

**Phone: 440-446-8000**

**Fax: 440-446-8075**

Test performed for:

Some Person

Calibrated:	11/24/2010	Placed By:	Fred Freer (OH RT527)	Temp.	Pressure	R.H.
Test Started:	08/10/2010 10:23 AM	Retrieved By:	Fred Freer (OH RT527)	Min:	68.0 29.8	60
Test Ended:	08/13/2010 8:01 AM	Test Site:	Unfinished Basement	Avg:	68.8 29.8	85
		Test Duration:	69 hours	Max:	72.0 29.9	92

## AVERAGE RADON CONCENTRATION:

**5.9 pCi/l**

Test has met minimum EPA sampling duration.

	08/10/2010		08/11/2010		08/12/2010		08/13/2010	
Time	pCi/l	Flags	pCi/l	Flags	pCi/l	Flags	pCi/l	Flags
00:23 am			6.3		5.0		5.2	
01:23			7.4		4.8		7.9	
02:23			6.5		7.2		7.0	
03:23			6.5		6.4		6.2	
04:23			7.0		5.9		6.1	
05:23			7.2		6.2		7.3	
06:23			8.8		6.0		5.8	
07:23			5.3		6.4		5.8	
08:23			6.0		6.1			
09:23			4.9		7.7			
10:23			5.9		5.2			
11:23	Eq.		6.2		6.2			
12:23 pm	Eq.		5.3		4.9			
01:23	Eq.		6.1		5.2			
02:23	Eq.		6.6		5.4			
03:23	Eq.		5.1		5.3			
04:23	Eq.		6.9		4.1			
05:23	Eq.		6.4		3.7			
06:23	Eq.		5.5		4.5			
07:23	Eq.		6.1		4.8			
08:23	Eq.		4.6		4.5			
09:23	Eq.		5.4		4.7			
10:23	Eq.		5.5		4.3			
11:23	5.2		4.7		6.2			

Flags: P= AC Power Disruption; T=Tilt  
Eq. = Equilization Period

While every effort was made to maintain optimum quality control and EPA Protocol during the testing period, neither Radalink, Inc. or its licensed agents provide any warranty, expressed or implied, for the consequences of erroneous test results. There can be some uncertainty with any measurement due to statistical variations, extreme weather changes, operation of the building, and other factors, Radalink, Inc. and its licensed operators shall not be liable under any charge or claim for losses, claims, charges, fees, demands, expenses, or damages resulting from a radon test. This report is subject to the terms on the last page of the document.

# ENVIRONMENTAL DATA

MONITOR-TEST NUMBER: 7010-205

Property Inspected: 12345 Anystreet  
Anytown, OH 44065

	08/10/2010			08/11/2010			08/12/2010			08/13/2010		
Time	Temp	InHg	RH	Temp	InHg	RH	Temp	InHg	RH	Temp	InHg	RH
00:23 am				69.0	29.9	83	69.0	29.8	90	69.0	29.8	92
01:23				69.0	29.9	83	69.0	29.8	90	69.0	29.8	92
02:23				69.0	29.9	83	69.0	29.8	90	69.0	29.8	91
03:23				69.0	29.9	82	69.0	29.8	88	69.0	29.8	90
04:23				69.0	29.9	82	69.0	29.8	88	69.0	29.8	91
05:23				69.0	29.9	82	69.0	29.8	88	69.0	29.8	90
06:23				69.0	29.9	81	69.0	29.8	88	69.0	29.8	90
07:23				69.0	29.9	81	69.0	29.8	90	69.0	29.8	90
08:23				69.0	29.9	82	69.0	29.8	90			
09:23				69.0	29.9	83	69.0	29.8	90			
10:23				68.0	29.9	85	69.0	29.8	90			
11:23	77.0	29.9	53	68.0	29.9	85	69.0	29.8	90			
12:23 pm	72.0	29.9	60	68.0	29.9	85	69.0	29.8	90			
01:23	70.0	29.9	64	68.0	29.9	85	69.0	29.8	91			
02:23	68.0	29.9	63	68.0	29.9	86	69.0	29.8	90			
03:23	68.0	29.9	68	68.0	29.8	87	69.0	29.8	91			
04:23	68.0	29.9	72	68.0	29.8	87	69.0	29.8	91			
05:23	68.0	29.9	76	68.0	29.8	87	69.0	29.8	91			
06:23	68.0	29.9	78	68.0	29.8	87	69.0	29.8	91			
07:23	68.0	29.9	80	68.0	29.8	87	69.0	29.8	92			
08:23	68.0	29.8	80	69.0	29.8	87	69.0	29.8	92			
09:23	69.0	29.9	80	69.0	29.8	88	69.0	29.8	91			
10:23	69.0	29.9	81	69.0	29.8	88	69.0	29.8	92			
11:23	69.0	29.9	82	69.0	29.8	90	69.0	29.8	92			

AVERAGE RADON CONCENTRATION:

5.9 pCi/l



Reviewed and certified by

*Terry Howell*

Terry Howell, Quality Assurance Mgr.  
Radalink, Inc. NEHA 135791T




	Minimum	Average	Maximum	Variance
Temperature:	68.0	68.8	72.0	0.36
Barometric Pressure:	29.8	29.8	29.9	0.0
Relative Humidity:	60	85	92	49.16

NOTE: The first hour's environmental data is excluded from the table above.

Radalink, Inc. 5599 Peachtree Road Atlanta, GA 30341 Phone: (800)295-4655

# GRAPHICAL DATA VIEW

MONITOR-TEST NUMBER: 7010-205



Property Inspected: 12345 Anystreet, Anytown, OH 44065  
**AVERAGE RADON CONCENTRATION: 5.9 pCi/l**



# IMPORTANT NOTICE

## IF YOUR RADON TEST RESULT IS AT OR ABOVE EPA'S 4.0 pCi/L ACTION LEVEL

### THE EPA AND YOUR STATE RADON PROGRAM RECOMMEND THIS HOME BE MITIGATED

If the average radon concentration in the home tested is at or above EPA's 4.0 pCi/L Action Level, mitigation is recommended. EPA and Radalink recommend either a state licensed (where applicable) or a NEHA or NRSB Certified radon mitigator to perform the system installation.

### An Independent Post Mitigation Clearance Test

Upon completion of the work, the EPA recommends that you have an **independent** post-mitigation test performed. If the current owners are hiring the mitigation contractor, notify them prior to the installation that you intend to have your Radalink affiliated radon professional perform the post mitigation test. (Call your Radalink affiliate for service prices and details.) According to EPA and state protocol, the test can be conducted after the remediation system has been running continuously for 24 hours. Find out when the work will be completed and inform your Radalink affiliate so the test can be scheduled as soon as possible.

### Make Sure the Installation Meets EPA Mitigation Standards

For your added protection, many Radalink affiliates inspect the mitigation systems to ensure they meet the EPA Mitigation Standards or state requirements and provide you with a completed Checklist Inspection Report.

### Call Your Radalink Affiliate For Service Prices and Details.



## HOW TO INTERPRET YOUR TEST RESULTS

THIS REPORT RELATES ONLY TO THE ITEMS TESTED FOR AND DURING THE MEASUREMENT PERIOD SHOWN.

These results should be interpreted in accordance with the EPA's guidance as published in EPA Publication No. 402-K-008 "Home Buyer's and Seller's Guide to Radon" and EPA Publication No. 402-K92-001, "Citizen's Guide to Radon".

Because radon is the second leading cause of lung cancer, the Surgeon General and the US Environmental Protection Agency (EPA) recommend testing all homes for radon and mitigating those with an average concentration of 4 picoCuries per Liter (4 pCi/L) or higher. Even if your test result is below 4 pCi/L, EPA suggests testing again sometime in the future.

The Radalink Radon TeleMonitor (NEHA Device # 00472) used to perform this test is EPA and NEHA approved and meets the Single Test Option requirements (EPA 402-R-93-003, Section 3.2.3) for conducting radon measurements in the context of a real estate transaction and may be used for determining the necessity for radon mitigation.

**Radon reduction systems work!** Professionally installed radon mitigation systems can reduce the radon levels in your home by up to 99%. Thousands of people have reduced radon levels in their homes. Maintaining a radon reduction system takes little effort to keep the system working properly and the radon levels low. EPA recommends that you have a qualified contractor (NEHA certified or state licensed) fix your home if radon levels are confirmed to be 4 pCi/L or higher. For more information on how to reduce your radon health risk, contact your state radon office:

ALABAMA 800-582-1866	ALASKA 800-478-8324	ARIZONA 602-255-4845	ARKANSAS 501-661-2301
CALIFORNIA 916-449-5674	COLORADO 800-846-3986	CONNECTICUT 860-509-7367	DELAWARE 800-464-4357
WASH. D.C. 202-535-2999	FLORIDA 800-543-8279	GEORGIA 800-745-0037	HAWAII 808-586-4700
IDAHO 800-445-8647	ILLINOIS 217-782-1325	INDIANA 800-272-9723	IOWA 800-383-5992
KANSAS 800-693-5343	KENTUCKY 502-564-4856	LOUISIANA 866-896-5337	MAINE 207-287-5698
MARYLAND 215-814-2090	MASS. 800-723-6695	MICHIGAN 517-335-8037	MINNESOTA 800-798-9050
MISSISSIPPI 800-626-7739	MISSOURI 573-751-6160	MONTANA 800-546-0483	NEBRASKA 800-334-9491
NEVADA 888-723-6610	N.H. 800-852-3345	NEW JERSEY 800-648-0394	NEW MEXICO 800-219-6157
NEW YORK 800-458-1158	N.C. 919-571-4141	N. DAKOTA 800-252-6325	OHIO 800-523-4439
OKLAHOMA 405-702-5162	OREGON 971-673-0490	PENN. 800-237-2366	RHODE ISLAND 401-222-2438
S. CAROLINA 800-768-0362	S.D. 800-438-3367	TENNESSEE 800-232-1139	TEXAS 800-293-0753
UTAH 800-458-0145	VERMONT 800-439-8550	VIRGINIA 800-468-0138	WASHINGTON 360-236-3253
W.V. 800-922-1255	WISCONSIN 888-569-7236	WYOMING 800-458-5847	

### National Safety Council Radon Hotline: 800-644-6999

**SURGEON GENERAL HEALTH ADVISORY:** "Indoor radon is the second-leading cause of lung cancer in the U.S. and breathing it over prolonged periods can present a significant health risk to families all over the country. More than 20,000 Americans die of radon-related lung cancer every year. It's important to know that this threat is completely preventable. Radon can be detected with a simple test and fixed through well-established venting techniques."

**CONSUMER FEDERATION OF AMERICA:** "Consumers need to know about the health of a house they are considering purchasing, including whether there is a radon problem, and if so, how to fix it." The EPA Home Buyer's and Sellers Guide to Radon provides practical consumer information that every homebuyer needs to know.

**FLORIDA NOTICE TO CLIENTS:** An organization or individual certified by the Florida Dept. of Health to perform radon or radon progeny measurements or radon mitigation services provides this Notice to you. Any questions, comments, or complaints regarding the persons performing these measurement or mitigation services may be directed to the Florida Dept. of Health, Bureau of Facility Programs, Radon Indoor Air Quality, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710, (800-243-8279).

**MAINE NOTICE TO CLIENTS:** As per 22 MRSA, Sec. 771, results of this test will be reported to the Maine Dept. of Health and Human Services. Any questions, comments, or complaints concerning individuals or firms providing radon related services in Maine should be directed to: Radiation Control Program 11 State House Station Augusta, ME 04333-0010 (207-287-5698).

**NEW JERSEY DISCLAIMER STATEMENT:** (*applicable to all measurements taken in New Jersey*): This notice is provided to you by an organization or individual certified by the NJDEP to perform radon measurements. NJSA 26:2d-73 requires that no certified person disclose to any individual except the NJDEP or the NJDOH the address or owner of a non-public building that the person has tested or treated for the presence of radon gas unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas, the seller shall provide the buyer, at the time the contract of sale is entered into, a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the NJ Dept. Of Environmental Protection and Energy, Attention Radon Section, Bureau of Environmental Radiation (800-648-0394). See also NJDEP's Radon Testing and Mitigation: The Basics.

**PENNSYLVANIA NOTICE TO CLIENTS:** The Radon Certification Act requires that anyone who provides radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Protection. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services or products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, comments or complaints concerning persons who provide radon-related services, please contact the Department at the Bureau of Radiation Protection, Dept. Of Environmental Protection, P.O. Box 8469, Harrisburg, PA 17105-8469, (717-783-3594).

**RHODE ISLAND NOTICE TO CLIENTS:** This notice is provided to you by an organization or individual licenses and/or certified by the Rhode Island Dept. of Health to perform radon measurements. Any questions, comments, or complaints regarding the person performing these measurements may be directed to the RI Dept. of Health, Office of Occupational and Radiological Health, 3 Capitol Hill Room 206, Providence RI 02801-5097, (401-222-2438).

Rev: Dec.2010