


Fitting your field is our main concern and we recognize that customers need choices. That's why Valley offers options from the most reliable drive trains and water delivery to spans, tires, pumps, guidance systems, and more. Linears offer the greatest versatility for field applications – see how Valley Linears can match your field size and shape.







A. All Valley Linears

The standard linear travels back and forth across square or rectangular fields.

B. Two Wheel and Universal Linears


The forward/reverse tow and swing-around options can be combined to give you the flexibility to irrigate odd-shaped fields with only one machine.

C. Two Wheel and Universal Linears

As an option, a swing-around package can be ordered, which gives you the capability to irrigate L-shaped fields with one machine.

D. Valley Universal and Rainger Swing-Around Linears

The Valley Universal Linear with the AutoPilot Linear control panel will automatically transition from linear to pivot mode. The Valley Rainger will also swing-around, but requires manual user intervention.




Linear Options

	Rainger	Rainger Swing–Around	Two Wheel Ditch Feed	Two Wheel Hose Feed	Universal
LINEAR APPLICATION GUIDE					
Maximum Length	973 m (3,200')	518 m (1,700')	400 m (1,300')	400 m (1,300')	400 m (1,300')
Span Diameters	6 5/8", 8 5/8", 10"	6 5/8", 8 5/8"	5", 6 5/8"	5", 6 5/8"	6 5/8"
Towable Option	No	No	Yes	Yes	Yes
GPS Guidance	Yes	No	Yes	Yes	No
Target Field Type	Larger fields	Larger fields on both sides of a ditch/canal or pipeline	Smaller fields with earthen ditch	Smaller fields	Smaller fields on both sides of a ditch/canal
Water Source	Hose or ditch	Hose or ditch	Ditch	Hose	Hose or ditch
Cart Location	End or center	End	End	End	End





Each Valley linear comes standard with the USA-made Valley gearboxes. This gearbox provides you with the reliability, durability, and quality you expect from Valley.



See your local authorized Valley dealer for complete details.









