

# NE



# **EAGLE LINE**2315 U.S. Highway 11 S. Sweetwater, TN. 37874-5059

PHONE: (423) 337-2390 FAX: (423) 337-2338 EMAIL: sales@ ab-eagleline.com WEBSITE: www.ab-eagleline.com

#### HAY HANDLING BALE SPEARS

\*MAIN SPEARS IS FORGED WITH A USEABLE LENGTH OF 42" AND 3500 LB. CAPACITY AT 23 1/2"

\*STABILIZING SPEARS ARE POINTED FOR EASIER PENETRATION

FRONT SPEAR: SINGLE



#### **FSO10**

\*WORKS WITH SINGLE OR DOUBLE TILT CYLINDERS, OR THE 3 POINT HITCH

\*HANDLES UP TO 1500 LB. BALES

MODEL NO. WEIGHT

FSO10 231 LB.

FRONT SPEAR: DOUBLE



#### **FSO30**

\*WORKS WITH SINGLE OR DOUBLE TILT CYLINDERS, OR THE 3 POINT HITCH

\*HANDLES UP TO 3000 LB. BALES

MODEL NO. WEIGHT

FSO30 303 LB.

FRONT SPEAR: BUCKET - SINGLE



#### FBS1-F

\*SPEAR FRAME IS SECURELY HELD TO BUCKET WITH HEAVY DUTY WRAP AROUND CHAIN AND 1" TURNBUCKLE \* HANDLES UP TO 1500 LB. BALES

MODEL NO. WEIGHT FBS1-F 122 LB

FRONT SPEAR: EURO STYLE - SINGLE



#### FSQ10-F

\*QUICK ATTACH

\*HANDLES UP TO 1500 LB. BALES

MODEL NO. WEIGHT

FSQ10-F 151 LB.



### EAGLE LINE



2315 U.S. Highway 11 S. Sweetwater, TN. 37874-5059 PHONE: (423) 337-2390 FAX: (423) 337-2338

EMAIL: sales@ ab-eagleline.com WEBSITE: www.ab-eagleline.com

#### HAY HANDLING BALE SPEARS

\*MAIN SPEARS IS FORGED WITH A USEABLE LENGTH OF 42" AND 3500 LB. CAPACITY AT 23 1/2"

\*STABILIZING SPEARS ARE POINTED FOR EASIER PENETRATION

### FRONT SPEAR: SKIDSTEER STYLE



#### FSF40

\*FRAME IS MADE FROM 3"X3"X4" HEAVY WALL HIGH STRENGTH TUBING

\*ANTI-SKID FLOOR PLATE ON TOP FOR STEP

\*AVAILABLE IN SINGLE, DOUBLE OR TRIPLE SPEARS

MODEL NO. WEIGHT

FSF40 202 LB.

# FRONT SKIDSTEER STYLE: DOUBLE



#### FSF44

\*FRAME IS MADE FROM 3"X3"X4" HEAVY WALL HIGH STRENGTH TUBING
\* ANTI SKID FLOOR PLATE ON TOP FOR STEP
MODEL NO. WEIGHT

FSF44 251 LB.

#### FRONT SPEAR: J D STYLE



#### FSJD70

\*J D STYLE HOOK UP

MODEL NO. WEIGHT

FSJD70 151 LB.

#### **REAR SPEAR:**



#### **RSO10**

\*AVAILABLE IN CAT. 1 OR CAT. 2

\*REPLACEABLE LIFT ARM PINS

\*HANDLES UP TO 1500 LB. BALES

MODEL NO. WEIGHT
RSO10-F CAT. 1 84 LB.
RSO20-F CAT. 2 90 LB.



### EAGLE LINE



2315 U.S. Highway 11 S. Sweetwater, TN. 37874-5059 PHONE: (423) 337-2390 FAX: (423) 337-2338 EMAIL: sales@ ab-eagleline.com WEBSITE: www.ab-eagleline.com

#### **HIJACKER:**



#### HIS60

\*REAR SPEAR SOLD SEPARATELY

\*MADE FROM HEAVY WALL HIGH STRENGTH TUBING

\*INCREASES TRACTOR LIFT MORE THAN 3
FEET

\*NEEDS TOP LINK OR HYDRAULIC CYLINDER INSTALLED FOR PROPER OPERATION

\*HANDLES UP TO 1500 LB. BALES

MODEL NO. WEIGHT

HIS60 145 LB.

#### **PALLET FORK:**

SKIDSTEER STYLE: PF300

**EURO STYLE: PF500** 

J D STYLE: PF700



\*FRAME IS REINFORCED HEAVY ANGLE

\*3/8" THICK SIDE PLATES

\*INCLUDES A WELDED SAFETY GUARD ON TOP

\*FORKS SLIDE AND LOCK IN 3" INCREMENTS

\*FORK HAS A USEABLE LENGTH OF 48"

\*3000 LB. CAPACITY

MODEL NO. WEIGHT
PF300 SKIDSTEER STYLE 404 LB.
PF500 EURO STYLE 404 LB.
PF700 J D STYLE 404 LB.





### EAGLE LINE

2315 U.S. Highway 11 S. Sweetwater, TN. 37874-5059 PHONE: (423) 337-2390 FAX: (423) 337-2338 EMAIL: sales@ ab-eagleline.com WEBSITE: www.ab-eagleline.com

#### **REAR HAY FORKS:**



#### RHF15 - 1500 LB. CAPACITY



RHF30 - 3000 LB. CAPACITY

\*INSTALL STABILIZER SPIKE AND LIFT ARM PINS, READY TO USE

\*FITS CAT. 1 AND CAT. 2 TRACTORS

\*FRAMES ARE MADE FROM HEAVY WALL HIGH STRENGTH TUBING

\*STABILIZER SPIKE IS POINTED FOR EASIER PENETRATION

MODEL NO. WEIGHT

RHF15 150 LB.

RHF30 190 LB.