## **CERTIFICATE of ACHIEVEMENT**

This is to certify that

## Paul Perez

has completed the online course

## Certified Professional Collector Program

0.75 Continuing Education Units / 7.5 Continuing Education Hours



February 18, 2015

Kristina Queen Programs Director

This certificate is for the required DOT qualification training, per 49 CFR Part 40, via the DATIA CPC® online course. This is not a DATIA CPC® certificate. Collector certification is issued upon taking and passing the DATIA CPC® exam.

This is to certify that **Paul Perez** has successfully completed the CMI-Approved

## Breath Alcohol Technician Instructor Refresher

Training Course on April 14, 2017

and is factory-certified to train BATs for DOT breath alcohol testing purposes.

From Wilson, Montor of Practicals

31183

Monitor No.

BATNo.

23485

Refresher Course Required April 14, 2022

NI MARKATAN

Intoxilyzer 200/200D 240/240D

@ GOFS 441CN

# Sertition to

This is to certify that Austin Perez has successfully completed the CMI-Approved

## Breath Alcohol Technician

Training Course on March 3, 2019.

🛭 Proficient in Operations of □ Proficient jn 49 CFR Part 40 Procedures

Intoxilyzer 240/240D

Paul Perez, Instructor

23485

Instructor No.

48570

BAT No.

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

3/13/2019

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Consulting & Testing Collection Training / Datia Certified

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that Austin P Perez has successfully completed five mock collections, including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

- 1. One insufficient Quantity of urine scenario
- 2. One temperature out of range scenario
- 3. One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

And two uneventful scenario's

Certified Trainer: X

Trained Collector: >

## C の は の は の

This is to certify that **Dakota Perez** has successfully completed the CMI-Approved

## Breath Alcohol Technician

Training Course on March 3, 2019.

Proficient in Operations of ☐ Proficient in 49 CFR Part 40 Procedures

EBT

Paul Perez, Instructor

23485

Instructor No.

48569

BATNo.

Intoxilyzer 240/240D

Course Required March 2, 2024

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

3/13/2019

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Consulting & Testing Collection Training / Datia Certified

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that Dakota T. Perez has successfully completed five mock collections, including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

One insufficient Quantity of urine scenario

2. One temperature out of range scenario

3. One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

And two uneventful scenario's

Certified Trainer: X

Trained Collector: X

# ortil Cate

This is to certify that Elizabeth Perez has successfully completed the CMI-Approved

# Breath Alcohol Technician Refresher

Training Course on May 1, 2018.

☑ Proficient in Operations of ☐ Proficient in 49 CFR Part 40 Procedures

Paul Perez, Instructe

23485

Instructor No.

25493

BAT No.

Intoxilyzer 240/240D

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

5/1/2018

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Consulting & Testing Collection Training / Datia Certified

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that Elizabeth Perez has successfully completed five mock collections, including two uneventful scenarios. She has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

1. One insufficient Quantity of urine scenario

2. One temperature out of range scenario

One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

And two uneventful scenario's

Certified Trainer: X

Trained Collector: 2

This is to certify that **Tyrone Wilson** has successfully completed the CMI-Approved

# Breath Alcohol Technician Refresher

Training Course on April 9, 2017.

☑ Proficient in Operations of ☐ Proficient in 49 CFR Part 40 Procedures

Paul Perez, Instructor

Intoxilyzer 240/240D

31183 BAT No.

Instructor No.

Refresher Course Required April 9, 2022

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson, MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

1/10/2017

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Collection Training

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that <u>Tyrone Wilson</u> has successfully completed five mock collections including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

1. V One insufficient Quantity of urine scenario

2. One temperature out of range scenario

3. One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

✓ And two uneventful scenario's

Certified Trainer:

Trained Collector: 1

This is to certify that Ama Kilhami has successfully completed the CMI-Approved

# Breath Alcohol Technician Refresher

Training Course on April 9, 2017.

☑ Proficient in Operations of ☑ Proficient in 49 CFR Part 40 Procedures

Paul Perez, Instructor

23485

Instructor No.

36942

BAT No.

Refresher Course Required April 9, 2022

Intoxilyzer 240/240D

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAN (631) 225-7911

1/10/2017

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Collection Training

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that <u>Anna Rihani</u> has successfully completed five mock collections including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

- 1. V One insufficient Quantity of urine scenario
- 2. One temperature out of range scenario
- 3. One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

4. And two uneventful scenario's

Certified Trainer: X

Trained Collector: X

# ertificate

This is to certify that **Stella Rosario** has successfully completed the CMI-Approved

# Breath Alcohol Technician Refresher

Training Course on April 9, 2017.

☑ Proficient in 49 CFR Part 40 Procedures ☑ Pro

☑ Proficient in Operations of

Paul Perez, Instruglor

23485

31184

Instructor No.

BATNo.

Refresher Course Required April 9, 2022

Intoxilyzer 240/240D

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

1/10/2017

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Collection Training

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that <u>Stella Rosero</u> has successfully completed five mock collections including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

1. One insufficient Quantity of urine scenario

2. / One temperature out of range scenario

3. V One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

4. And two uneventful scenario's

Certified Trainer: X

Trained Collector: X

# りてい

This is to certify that **Sophie Reid** has successfully completed the CMI-Approved

# Breath Alcohol Technician Refresher

Training Course on April 9, 2017.

☑ Proficient in 49 CFR Part 40 Procedures ☑ ✓ ✓ EBT

☑ Proficient in Operations of

Paul Perez, Instryetor

23485

Instructor No.

36941

BATNo.

A1 IVO.

Intoxilyzer 240/240D

Refresher Course Required April 9, 2022

© GOES 441CN

Arnold D. Panzer, M.D. (AAMRO) Certified Medical Review Officer Cert # 931024233 Senior Aviation Examiner # 16942-4

Jodie ScherPirro, D.O (AAMRO) Certified Medical Review Officer Cert # 140928228



Paul Perez, President C/Third Party Administrator Certified BAT Instructor MRO Assistant

Tyrone Wilson MRO Assistant Director of Field Operations TEL (631) 225-3060 FAX (631) 225-7911

1/10/2017

## QUALIFICATION TRAINING COMPLETION STATEMENT:

Trainer: Paul Perez

Certification: LSA Collection Training

I Paul Perez have been regularly performing DOT Collections since Sept 1, 2000 I am knowledgeable in regards to DOT Procedure Guidelines and the regulations applicable to the agencies for which I perform Dot Collections.

I can and will attest to the fact that <u>Sophie Reid</u> has successfully completed five mock collections including two uneventful scenarios. He has reviewed 49 CFR Part 40 regarding DOT collection regulations and protocols.

1. One insufficient Quantity of urine scenario

2. One temperature out of range scenario

3. One scenario in which the employee refuses to sign the CCF and initial the tamper evident seals on the bottles.

Forhie Reid

4. √V And two uneventful scenario's

Certified Trainer: X

Trained Collector: