

# SAFETY DATA SHEET

DATE PRINTED 02/10/15



FINISH RIGHT

COVER COAT AC911 EXT VELVET FLAT WHITE BASE - GLOSS LEVEL 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** COVER COAT AC911 EXT VELVET FLAT WHITE GLOSS LEVEL 1  
**PRODUCT CODE:** 511101  
**RECOMMENDED PRODUCT USE:** Water based coating for protecting and beautifying various substrates.  
**PRODUCT USE RESTRICTION:** None known.

### MANUFACTURER

Rodda Paint Co.  
6107 North Marine Drive  
Portland, Oregon, 97203  
(503) 521-4300

### 24 HR. EMERGENCY TELEPHONE NUMBER

**CHEMTREC (US Transportation):** (800)424-9300  
**CHEMTREC (International Transportation):** 1(202)483-7616

**Canadian CANUTEC number:** 613-996-6666

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION:

Skin Corrosion/Irritation: Category 2  
Serious Eye Damage/Eye Irritation: Category 2A  
Carcinogenicity: Category 2

### GHS LABEL ELEMENTS:



**SIGNAL WORD:** WARNING

### HAZARD STATEMENTS:

Causes serious eye irritation.  
Suspected of causing cancer.  
Causes mild skin irritation.

**PRECAUTIONARY STATEMENTS:**

Keep out of reach of children.

Read label before use.

Wash exposed areas thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Use personal protective equipment as required.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	Weight %	CAS Number	Common Name
+TITANIUM DIOXIDE	18.2636	13463-67-7	

+ Indicates material(s) listed as NTP, IARC, or OSHA carcinogen.

**IMPURITIES:** No known impurities.

**4. FIRST AID MEASURES**

**EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lens. Get medical attention, if irritation occurs or persists.

**SKIN:** Wash skin thoroughly with soap and water. If skin irritation occurs, get medical attention.

**INGESTION:** Wash out mouth with water. Remove victim to fresh air and keep at rest position. If swallowed and person is conscious, give small amounts of water. Get medical attention. Do not induce vomiting unless instructed to do so by medical professional. If person vomits while on their back, place in the recovery position.

**INHALATION:** Remove exposed person to fresh air. If adverse effects are observed get medical attention.

**NOTES TO PHYSICIAN:** Treat symptomatically. If large quantities have been swallowed or inhaled contact a poison treatment specialist.

**5. FIREFIGHTING MEASURES**

**SUITABLE EXTINGUISHING MEDIA:** CO<sub>2</sub>, dry chemical, foam, or water fog.

**UNSUITABLE EXTINGUISHING MEDIA:** No data available.

**SPECIFIC HAZARDS IN CASE OF FIRE:** Product may spatter if temperature of liquid exceeds the boiling point of water. If solids ignite, toxic and irritating gases can be emitted. Thermal decomposition of this product will produce carbon monoxide and carbon dioxide gases.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS:** For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. Self-contained breathing apparatus with a full facepiece operated in pressure-demand or other positive pressure mode to protect against the hazardous effects of normal products of combustion or oxygen deficiency.

## 6. ACCIDENTAL RELEASE MEASURES

**PROTECTIVE EQUIPMENT:** See section 8 of SDS for Personal Protective Equipment.

**PERSONAL PRECAUTIONS:** Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**EMERGENCY PROCEDURES:** Eliminate all ignition sources (flares, flames including pilot lights and electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up had been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up with sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers. Prevent run-off sewers, streams, or other bodies of water.

**METHOD AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up with sand, clay, earth, or other absorbent material and shoveled into containers. Prevent run-off into sewers, streams or other bodies of water.

## 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING:** Store in tightly closed containers to prevent moisture contamination. Do not reseal if contamination is suspected. At maximum storage temperatures noted, material may slowly polymerize without hazard. Ideal storage temperature range for ease of handling is 50-81 °F (10-27 °C). Avoid contact with skin and eyes. Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard.

**CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:** Store in accordance with local regulations. Store away from incompatible materials. See Section 10 for incompatible materials. Keep from freezing. Do not store in open, unlabeled or mislabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

### EXPOSURE LIMITS

Components	CAS	Limits
TITANIUM DIOXIDE	13463-67-7	PEL (OSHA) : 15 mg/m <sup>3</sup> , TOTAL DUST, 8 HR TWA TLV (ACGIH): 10 mg/m <sup>3</sup> , TOTAL DUST, 8 HR TWA IDLH (NIOSH): CA 5000 mg/m <sup>3</sup>

**ENGINEERING CONTROLS:** Use material in a well ventilated area. Mechanical ventilation or local exhaust may be required.

### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION:** Use a properly fitted, air purifying or air fed respirator compliant with all applicable regulations when workplace conditions indicate this is necessary. Under normal use conditions, a respirator is not usually required.

**EYE PROTECTION:** Wear safety glasses with side shields or goggles.

**SKIN PROTECTION:** Use good industrial hygiene practices to avoid skin contact. If contact with material may occur wear chemically protective gloves. Use gloves, coveralls, aprons, and boots as necessary to minimize contact with skin.

**OTHER PROTECTION MEASURES:** To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

**OTHER USE PRECAUTIONS:** Do not wear rings, watches, or similar apparel that could entrap material.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**PHYSICAL STATE:** Liquid.

**COLOR:** White or colored liquid.

**ODOR/THRESHOLD:** Mild odor.

**pH:** 8.5 - 9.5

**MELTING POINT:** Not available.

**FREEZING POINT:** 0 °C

**BOILING POINT/RANGE:** N/A

**FLASH POINT:** Not applicable.

**METHOD:** Not applicable.

**EVAPORATION RATE:** Slower than Butyl Acetate.

**FLAMMABILITY (SOLID,GAS):** Not applicable.

**UPPER /LOWER FLAMMABILITY LIMITS:** Not applicable. To Not applicable.

**VAPOUR PRESSURE:** Not applicable.

**VAPOUR DENSITY:** Heavier than air.

**RELATIVE DENSITY:** 1.33

**SOLUBILITY:** Not applicable.

**PARTITION COEFFICIENT-N-OCTANOL/WATER:** No data available.

**AUTO-IGNITION TEMPERATURE:** Not applicable.

**DECOMPOSITION TEMPERATURE:** Not applicable.

**MATERIAL VOC:** 16.69 (g/L)

**COATING VOC:** 41.80 (g/L)

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** No data available.

**CHEMICAL STABILITY:** The product is stable.

**POSSIBILITY OF HAZARDOUS REACTIONS:** Under normal conditions of storage and use, hazardous reactions will not occur.

**CONDITIONS TO AVOID:** Do not freeze.

**INCOMPATIBLE MATERIALS:** No data available.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. TOXICOLOGICAL INFORMATION

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** May cause severe eye irritation and may cause mild skin irritation. Repeated and/or prolonged exposure may cause sore throat, dizziness, fatigue, nausea, headache possible unconsciousness and even asphyxiation. Can cause gastrointestinal irritation, vomiting and diarrhea.

### ACUTE EFFECTS :

**EYE CONTACT:** May cause serious eye irritation.

**SKIN CONTACT:** May cause mild skin irritation

**INHALATION:** No information available.

**INGESTION:** No information available.

**TARGET ORGAN:** No information available.

**CHRONIC EFFECTS:** Prolonged skin exposure may result in absorption of harmful material. Prolonged and repeated exposure may cause delayed effects involving the blood, gastrointestinal, respiratory, nervous and reproductive systems.

**SHORT TERM EXPOSURE:** No information available.

**LONG TERM EXPOSURE:** No information available.

**TOXICITY VALUES:** No information available.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICITY:** Use environmental precautions and prevent product from entering drains.

**PERSISTENCE AND DEGRADABILITY:** No information available.

**BIO-ACCUMULATIVE POTENTIAL:** No information available.

**MOBILITY IN SOIL:** No information available.

**OTHER ADVERSE EFFECTS:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**SAFE HANDLING:** See section 8 of the SDS for Personal Protective Equipment.

**DISPOSAL METHOD:** Disposal should be in accordance with applicable regional, national, and local laws and regulations.

#### 14. TRANSPORT INFORMATION

**UN-NUMBER:** Not regulated

**UN PROPER SHIPPING NAME :** Not regulated

**TRANSPORT HAZARD CLASS:** Not regulated

**TRANSPORT HAZARD SUBCLASS:** Not applicable.

**PACKING GROUP:** Not regulated

**MARINE POLLUTANT Y/N:** N

**SPECIAL PRE-CAUTIONS:** No information available.

#### 15. REGULATORY INFORMATION

##### U.S. REGULATIONS:

##### U.S. SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

##### SARA 311/312 HAZARD CATEGORIES:

**FIRE:** Yes

**PRESSURE GENERATING:** Yes

**REACTIVITY:** Yes **ACUTE:** No **CHRONIC:** Yes

**313 REPORTABLE INGREDIENTS:** None

##### 313 REPORTABLE INGREDIENTS

##### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** This product is not listed as an extremely hazardous substance.

**TSCA STATUS:** All components are listed or exempt from listing.

**DSL STATUS:** All components are listed or exempt from listing.

**OTHER GOVT. REGULATIONS:** See State Regulations.

**STATE REGULATIONS:** WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## 16. OTHER INFORMATION

REVISION DATE	10-02-15
---------------	----------

### **DISCLAIMER :**

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by Cloverdale Paint Inc. to be accurate. No warranty concerning the accuracy of these sources is made and Cloverdale Paint Inc. will not be held liable for claims relating to use of this information or recommendations.

